CONTENTS

Volume 32, Issue Nos 1–15 (2003)

EARTHQUAKE ENGINEERING AND STRUCTURAL DYNAMICS

Issue No. 1, JANUARY

Evaluation of vertical seismic response for a large-scale beam-supported aqueduct: Y. Li, M. Lou and D. Pan 1

Seismic isolation of buildings with sliding concave foundation (SCF): M. Hamidi, M. H. El Naggar, A. Vafai and G. Ahmadi 15

The pseudo-viscous frictional energy dissipator: a new device for mitigating seismic effects: B. Wu and J. Ou 31

Influence of free field variability on linear soil–structure interaction (SSI) by indirect integral representation: E. Savin 49

Ambient vibration studies for system identification of tall buildings: J. M. W. Brownjohn 71

2D dynamic response of unlined and lined tunnels in poroelastic soil to harmonic body waves: S. E. Kattis, D. E. Beskos and A. H. D. Cheng 97

Sliding fragility of block-type non-structural components. Part 1: Unrestrained components: D. Lopez Garcia and T. T. Soong 111

Sliding fragility of block-type non-structural components. Part 2: Restrained components: D. Lopez Garcia and T. T. Soong 131

Comparative study of the inelastic response of base isolated buildings: D. Ordoñez, D. Foti and L. Bozzo 151

SHORT COMMUNICATION

Stochastic seismic analysis of hydrodynamic pressure in dam reservoir systems: M. Di Paola and M. Zingales 165

Issue No. 2, FEBRUARY

Optimal distribution of linear control intensity over the frequency range: O. Corbi 173

A neural network approach for structural identification and diagnosis of a building from seismic response data: C. S. Huang, S. L. Hung, C. M. Wen and T. T. Tu 187

Localization analysis in softening RC frame structures: A. R. Khaloo and S. Tariverdilo 207

A procedure for evaluating seismic energy demand of framed structures: C.-C. Chou and C.-M. Uang 229

Indexed or abstracted by American Geological Institute; Applied Mechanics Reviews; Applied Science & Technology Abstracts (H. W. Wilson); Cambridge Scientific Abstracts; Current Contents®/Engineering, Computing & Technology (ISI); Earthquake Engineering Abstracts (NISEE); Ei COMPENDEX PLUS; Ei Page One; Environment Abstracts (CIS); Fluidex (Elsevier); GeoArchive (Geosystems); Geobase (Elsevier); Geological Abstracts (Elsevier); GeoRef; GeoSEARCH (Geosystems); Geotechnical Abstracts (Geotext Services); Geotitles: Geoarchaeology (Geosystems); Groundwater & Soil Contamination Database; Indian Society of Earthquake Technology Bulletin; International Bibliographies of Periodical Literature (IBR & IBZ); International Civil Engineering Abstracts (Anbar); International Petroleum Abstracts; ISI Alerting Services; Mechanics; Science Citation Index Expanded (also known as SciSearch®) (ISI); Science Citation Index® (ISI); Shock & Vibration Digest (Sage).

Optimal maintenance strategies for structures in seismic zones: R. Montes-Iturrizaga, E. Heredia-Zavoni and L. Esteva 245

The rocking spectrum and the limitations of practical design methodologies: N. Makris and D. Konstantinidis 265

The effects of repeated earthquake ground motions on the non-linear response of SDOF systems: C. Amadio, M. Fragiacomo and S. Rajgelj 291

Multiple-tuned liquid column dampers for torsional vibration control of structures: theoretical investigation: Y. L. Xu and K. M. Shum 309

SHORT COMMUNICATION

A pseudo-force iterative method with separate scale factors for dynamic analysis of structures with non-proportional damping: F.-B. Lin, Y.-K. Wang and Y. S. Cho 329

Issue No. 3, MARCH

System identification of the Vincent Thomas suspension bridge using earthquake records: A. W. Smyth, J.-S. Pei and S. F. Masri 339

Large displacement behaviour of a structural model with foundation uplift under impulsive and earthquake excitations: G. Oliveto, I. Caliò and A. Greco 369

Soil–pile–structure interaction under SH wave excitation: K. K. Koo, K. T. Chau, X. Yang, S. S. Lam and Y. L. Wong 395

Evaluation of modal pushover analysis using generic frames: C. Chintanapakdee and A. K. Chopra 417

Performance of hollow composite members subjected to cyclic eccentric loading: H.-L. Hsu and L.-L. Liang 443

The seismic performance of braced timber pile bents: A. A. Shama and J. B. Mander 463

Structural vibration control by shape memory alloy damper: Y.-L. Han, Q. S. Li, A.-Q. Li, A. Y. T. Leung and P.-H. Lin 483

Issue No. 4, 10 APRIL

Time delayed control of structural systems: F. E. Udwadia, H. F. von Bremen, R. Kumar and M. Hosseini 495

Experimental and theoretical simulations of seismic poundings between two adjacent structures: K. T. Chau, X. X. Wei, X. Guo and C. Y. Shen 537

Asymmetric one-storey elastic systems with non-linear viscous and viscoelastic dampers: Earthquake response: W.-H. Lin and A. K. Chopra 555

Asymmetric one-storey elastic systems with non-linear viscous and viscoelastic dampers: Simplified analysis and supplemental damping system design: W.-H. Lin and A. K. Chopra 579

Exact computation of input-energy spectra from Fourier amplitude spectra: M. Ordaz, B. Huerta and E. Reinoso 597

Inelastic dynamic analysis of RC bridges accounting for spatial variability of ground motion, site effects and soil–structure interaction phenomena. Part 1: Methodology and analytical tools: A. G. Sextos, K. D. Pitilakis and A. J. Kappos 607

Inelastic dynamic analysis of RC bridges accounting for spatial variability of ground motion, site effects and soil–structure interaction phenomena. Part 2: Parametric study: A. G. Sextos, A. J. Kappos and K. D. Pitilakis 629

Issue No. 5, 25 APRIL

Scattering of elastic waves by a general anisotropic basin. Part 2: a 3D model: M. Dravinski 653

Optimum multiple tuned mass dampers for structures under the ground acceleration based on the uniform distribution of system parameters: C. Li and Y. Liu 671

The effects of torsion and motion coupling in site response estimation: M. R. Ghayamghamian and M. Motosaka 691

Optimum seismic zoning for multiple types of structures: J. García-Pérez, F. Castellanos and O. Díaz 711

Seismic test of a full-scale model of a five-storey stone pagoda: J. K. Kim and H. Ryu 731

Reliability-based robust control for uncertain dynamical systems using feedback of incomplete noisy response measurements: K.-V. Yuen and J. L. Beck 751

Identification of parametric ground motion random fields from spatially recorded seismic data: A. Zerva and J. L. Beck 771

Experimental study on multiple tuned mass dampers to reduce seismic responses of a three-storey building structure: G. Chen and J. Wu 793

Steel frames with bracing mechanism and hysteretic dampers: M. C. Phocas and A. Pocanschi 811

Issue No. 6, MAY

Effect of earthquake energy input characteristics on hysteretic damper efficiency: H. Yamaguchi and A. El-Abd 827

Identification of soil degradation during earthquake excitations by Bayesian inference: J. Ching and S. D. Glaser 845

A unified formulation of the piecewise exact method for inelastic seismic demand analysis including *P*-delta effect: M. N. Aydınoğlu and Y. M. Fahjan 871

An experimental study of nominally symmetric and asymmetric structures isolated with the FPS: J. C. de la Llera and J. L. Almazán 891

Accidental torsion due to overturning in nominally symmetric structures isolated with the FPS: J. L. Almazán and J. C. de la Llera 919

Multiple active–passive tuned mass dampers for structures under the ground acceleration: C. Li 949

A rooftop tuned mass damper frame: J. G. Johnson, L. D. Reaveley and C. Pantelides 965

Issue No. 7, JUNE

Estimation of fundamental periods of shear-wall dominant building structures: C. Balkaya and E. Kalkan 985

System identification of instrumented bridge systems: Y. Arici and K. M. Mosalam ... 999

Torsional response of symmetric buildings to incoherent and phase-delayed earthquake ground motion: E. Heredia-Zavoni and A. Leyva 1021

Statistical performance analysis of seismic-excited structures with active interaction control: Y. Zhang and W. D. Iwan 1039

Optimal location of sensors for reconstruction of seismic responses through spline function interpolation: M. P. Limongelli 1055

Dynamic stiffness of foundation embedded in layered halfspace based on wave propagation in cones: J. P. Wolf and M. Preisig 1075

Representation of radiation damping by fractional time derivatives: P. Ruge and C. Trinks 1099

Application of non-linear multiple tuned mass dampers to suppress man-induced vibrations of a pedestrian bridge: N. Poovarodom, S. Kanchanosot and P. Warnitchai 1117

Empirical attenuation relationship for Arias Intensity: T. Travasarou, J. D. Bray and N. A. Abrahamson 1133

Issue No. 8, 10 JULY

Physical model for dynamic analysis of structures with FPS isolators: J. L. Almazán and J. C. De la Llera 1157

Hybrid platform for vibration control of high-tech equipment in buildings subject to ground motion. Part 1: Experiment: Y. L. Xu, H. J. Liu and Z. C. Yang 1185

Hybrid platform for vibration control of high-tech equipment in buildings subject to ground motion. Part 2: Analysis: Z. C. Yang, Y. L. Xu, J. Chen and H. J. Liu 1201

Application of extended distinct element method with lattice model to collapse analysis of RC bridges: L. Sun, C. Zhou, D. Qin and L. Fan 1217

Inelastic displacement ratios for evaluation of existing structures: J. Ruiz-García and E. Miranda 1237

Seismic response predictions of multi-span steel bridges through pushover analysis: Y. Zheng, T. Usami and H. Ge 1259

Seismic risk evaluation of RC bridge structures: A. Lupoi, P. Franchin and M. Schotanus 1275

Design of yielding metallic and friction dampers for optimal seismic performance: L. M. Moreschi and M. P. Singh 1291

Issue No. 9, 25 JULY

Optimal seismic design of steel frame buildings based on life cycle cost considerations: M. Liu, S. A. Burns and Y. K. Wen 1313

Design of bilinear hysteretic isolation systems: M. Fragiacomo, S. Rajgelj and F. Cimadom 1333

Shake table tests on a mass eccentric model with base isolation: B. Samali, Y. M. Wu and J. Li 1353

An advanced analytical model for high damping rubber bearings: C. S. Tsai, T.-C. Chiang, B.-J. Chen and S.-B. Lin 1373

Experimental and computational verification of reasonable design formulae for base-isolated structures: C. S. Tsai, B.-J. Chen and T.-C. Chiang 1389

Experimental identification of the vibration modes of liquid-filled conical tanks and validation of a numerical model: A. M. I. Sweedan and A. A. El Damatty 1407

Evaluating foundation mass, damping and stiffness by the least-squares method: S. H. Ju 1431

System identification of linear structures based on Hilbert–Huang spectral analysis. Part 1: Normal modes: J. N. Yang, Y. Lei, S. Pan and N. Huang 1443

SHORT COMMUNICATION

Dynamic analysis of structures using modified Lanczos co-ordinates: B.-W. Kim, H.-J. Jung, W.-H. Kim and I.-W. Lee 1469

DISCUSSION OF PAPER

Numerical evaluation of the damping-solvent extraction method in the frequency domain by Ushnish Basu and Anil K. Chopra, *Earthquake Engng Struct. Dyn.* 2002; **31**(6):1231–1250: C. Song and J. P. Wolf 1475

AUTHORS' REPLY
Authors' reply to discussion by Chongmin Song and John P. Wolf of 'Numerical evaluation of the damping-solvent extraction method in the frequency domain' *Earthquake Engng Struct. Dyn.* 2002; **31**(6):1231–1250: U. Basu and A. K. Chopra ... 1481

Issue No. 10, AUGUST

Modelling damage potential of high-frequency ground motions: G. Ma, H. Hao and Y. Lu ... 1483

Efficiency of base isolation systems in structural seismic protection and energetic assessment: G. C. Marano and R. Greco ... 1505

System identification of linear structures based on Hilbert–Huang spectral analysis. Part 2: Complex modes: J. N. Yang, Y. Lei, S. Pan and N. Huang ... 1533

Response of structures supported on SCF isolation systems: M. Hamidi, M. H. El Naggar and A. Vafai ... 1555

Evaluation of combination rules for peak response calculation in three-component seismic analysis: J. J. Hernández and O. A. López ... 1585

A simplified method of constructing fragility curves for highway bridges: K. R. Karim and F. Yamazaki ... 1603

Active tuned liquid column damper with propellers: Y.-H. Chen and C.-H. Ko ... 1627

Issue No. 11, SEPTEMBER

Siesmic response of multi-supported structures by proper orthogonal decomposition: F. Tubino, L. Carassale and G. Solari ... 1639

Robust active vibration suppression control with constraint on the control signal: application to flexible structures: A. Forrai, S. Hashimoto, H. Funato and K. Kamiyama ... 1655

Seismic risk assessments and GIS technology: applications to infrastructures in the Friuli–Venezia Giulia region (NE Italy): R. Codermatz, R. Nicolich and D. Slejko ... 1677

Comparison of spectral ratio techniques for estimation of site effects using micro-tremor data and earthquake motions recorded at the surface and in boreholes: V. H. S. Rodríguez and S. Midorikawa ... 1691

A method of calculating the non-linear seismic response of a building braced with viscoelastic dampers: H. Choi, W.-B. Kim and S.-J. Lee ... 1715

Effect of causal and acausal filters on elastic and inelastic response spectra: D. M. Boore and S. Akkar ... 1729

Soil–structure interaction in yielding systems: J. Avilés and L. E. Pérez-Rocha ... 1749

Considerations for the development of real-time dynamic testing using servo-hydraulic actuation: J. Zhao, C. French, C. Shield and T. Posbergh 1773

ERRATUM 1795

Issue No. 12, OCTOBER

Call for papers iii

System identification on the seismic behavior of an isolated bridge: Z.-K. Lee, T.-H. Wu and C.-H. Loh 1797

inelastic earthquake response of single-story asymmetric buildings: an assessment of simplified shear-beam models: K. G. Stathopoulos and S. A. Anagnostopoulos . 1813

Effects of column axial force—bending moment interaction on inelastic seismic response of steel frames: M. Como, M. De Stefano and R. Ramasco 1833

Cumulative demand of the earthquake ground motions in the near source: G. Manfredi, M. Polese and E. Cosenza 1853

Multi-variable relations for soil effects on seismic ground motion: G. D. Bouckovalas and A. G. Papadimitriou 1867

Structural impedance based damage diagnosis by piezo-transducers: S. Bhalla and C. K. Soh 1897

A response-spectrum-based envelope for Mohr's circle: C. Menun 1917

Assessment of seismic performance of extended pile-shafts: Y. H. Chai and S. T. Song 1937

Issue No. 13, 10 NOVEMBER

Announcement iii

Input and system identification of the Hualien soil–structure interaction system using earthquake response data: J.-S. Choi, J. S. Lee and C.-B. Yun 1955

Adaptive bang–bang control for the vibration control of structures under earthquakes: C. W. Lim, T. Y. Chung and S. J. Moon 1977

Cyclic tests on large-scale models of existing bridge piers with rectangular hollow cross-section: A. V. Pinto, J. Molina and G. Tsionis 1995

An improved capacity spectrum method for ATC-40: Y.-Y. Lin and K.-C. Chang 2013

Seismic collapse analysis of reinforced concrete framed structures using the finite element method: D. Isobe and M. Tsuda 2027

Quadratic jerk regulation and the seismic control of civil structures: J. G. Chase, L. R. Barroso and S. Hunt 2047

Numerical study of the seismic behaviour of a part of the Parthenon Pronaos: I. N. Psycharis, J. V. Lemos, D. Y. Papastamatiou, C. Zambas and C. Papantonopoulos 2063

Experimental verification of torsional response control of asymmetric buidings using MR dampers: O. Yoshida, S. J. Dyke, L. M. Giacosa and K. Z. Truman 2085

Seismic isolation of cable-stayed bridges for near-field ground motions: M. J. Wesolowsky and J. C. Wilson 2107

Issue No. 14, 25 NOVEMBER

Call for papers iii

Sub-optimal control of structures: G.-P. Cai and F. Sun 2127

Studies on seismic reduction of story-increased buildings with friction layer and energy-dissipated devices: H.-N. Li, Y.-W. Yin and S.-Y. Wang 2143

Predictive instantaneous optimal control of elastic structures during earthquakes: K. K. F. Wong and R. Yang 2161

Predictive instantaneous optimal control of inelastic structures during earthquakes: K. K. F. Wong and R. Yang 2179

Near-fault spatial variation in strong ground motion due to rupture directivity and hanging wall effects from the Chi-Chi, Taiwan earthquake: K. T. Shabestari and F. Yamazaki 2197

Seismic fragility assessment of concrete gravity dams: P. B. Tekie and B. R. Ellingwood 2221

Response spectral attenuation relationships for Singapore and the Malay Peninsula due to distant Sumatran-fault earthquakes: K. Megawati, T.-C. Pan and K. Koketsu 2241

Evaluation of predictors of non-linear seismic demands using 'fishbone' models of SMRF buildings: N. Luco, Y. Mori, Y. Funahashi, C. A. Cornell and M. Nakashima .. 2267

SHORT COMMUNICATION

The non-stationary cross-correlation coefficients in the seismic analysis of MDOF structural systems: G. Falsone and F. Neri 2289

Issue No. 15, DECEMBER

Call for papers III

Probabilistic approach for active control based on structural energy: K.-W. Min, J.-S. Hwang, S.-H. Lee and L. Chung 2301

A yield displacement distribution-based approach for strength assignment to lateral force-resisting elements having strength dependent stiffness: W. K. Tso and B. Myslimaj 2319

Experimental study of the semi-active control of building structures using the shaking table: Q. Sun, L. Zhang, J. Zhou and Q. Shi 2353

Tracking rapidly changing dynamical systems using a non-parametric statistical method based on wavelets: J. Ching and S. D. Glaser 2377

Effects of reinforcement slippage on the non-linear response under cyclic loadings of RC frame structures: S. Limkatanyu and E. Spacone 2407

Ground motion scaling methods for different site conditions and structure characteristics: Y. C. Kurama and K. T. Farrow 2425

ERRATUM 2451

BOOKS RECEIVED 2452

AUTHOR INDEX 2453

KEY WORD INDEX 2455